



MSDS MATERIAL SAFETY DATA SHEET		0.1 Product	Knock Pest Paraffineolie
		0.2 Status	Active
		0.3 Version	9
		0.4 Version date	03-07-2024
1. Identification of the substance/mixture and of the company			
1.1 Product identification			
Product name		Knock Pest Paraffineolie	
Trade name		Knock Pest Paraffineolie / Knock Pest Paraffine Oil / Knock Pest Huile de paraffine / Knock Pest Paraffinöl	
Product code		KNOC00172	
Chemical description		Substance	
UFI		-	
REACH registration number		01-2119487078-27-XXXX	
1.2 Relevant identified uses of the substance or mixture and uses advised against			
Identified use(s)		White mineral oil for lubrication, industrial processing and pharmaceutical applications.	
Use(s) advised against		Do not use in ponds or public water.	
1.3 Details of the supplier of the safety data sheet			
Company identification		Name	Hofman Pest Control
Contact details		Address	De Leemkoele 2
		Zip code	7468 DM
		Town	Enter
		Country	The Netherlands
		Telephone	+31 (0)548-545277
		E-mail	info@hofmanpestcontrol.nl
		Website	www.hofmanpestcontrol.nl
1.4 Emergency telephone number			
Emergency telephone number		The Netherlands: National Poisoning Information Center – Utrecht TEL: +31 (0) 88 755 8000 Belgium: Antipoison Center – Brussels TEL: +32 (0)70 245 245 (Only for the purpose of informing medical personnel in case of acute intoxications)	
2. Hazards identification			
2.1 Classification of the substance or mixture			
Classification according to Regulation (EC) no. 1272/2008: Asp. Tox. 1: Aspiration hazard, category 1; H304 The full text of the (EU)H-statements can be found in section 16.			
2.2 Label elements			
Labelling according to Regulation (EC) no. 1272/2008:			
Hazardous component(s)		Paraffinum liquidum (CAS: 8042-47-5)	
Hazard pictogram(s)			
Signal word		Danger	

Hazard statements		H304 May be fatal if swallowed and enters airways.					
Precautionary measures		P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331 Do NOT induce vomiting. P405 Store locked up. P501 Dispose of the contents/containers in accordance with the current legislation on waste treatment.					
- General							
- Response							
- Storage							
- Disposal							
2.3	Other hazards						
Results of PBT and vPvB assessment		Product does not meet PBT/vPvB criteria.					
Endocrine disrupting properties		The product does not meet the criteria for endocrine disrupting properties.					
3. Composition / information on ingredients							
3.1	Substances		Mineral oil.				
Name component(s)		Weight %	CAS no.	EINECS no.	Index no.	REACH no.	Classification
White mineral oil, <=20.5mm²/s (40°C)		70 - <100	8042-47-5	232-455-8	-	01-2119487078-27-XXXX	Asp. Tox. 1; H304
The full text of the (EU)H-statements can be found in section 16.							
3.2	Mixtures		Non-applicable.				
4. First aid measures							
4.1	Description of first aid measures						
General			The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the Safety Data Sheet of this product.				
First aid measures in case of inhalation			This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.				
First aid measures in case of skin contact			In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet.				
First aid measures in case of eye contact			This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes.				
First aid measures in case of ingestion			Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.				
4.2	Most important symptoms and effects, both acute and delayed						
Acute and delayed effects are indicated in sections 2 and 11.							
4.3	Indication of any immediate medical attention and special treatment needed						
Not applicable.							

5. Firefighting measures	
5.1	Extinguishing media
Suitable extinguishing media	If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO ₂).
Unsuitable extinguishing media	IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.
5.2	Special hazards arising from the substance or mixture
Special exposure hazards	As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.
5.3	Advice for firefighters
Special protective equipment	Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA).
Special procedures	Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.
Additional provisions	Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.
6. Accidental release measures	
6.1	Personal precautions, protective equipment and emergency procedures
Personal precautions	<i>For non-emergency personnel:</i> Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection. <i>For emergency responders:</i> Wear protective equipment. Keep unprotected persons away. See section 8.
6.2	Environmental precautions
Environmental precautions	This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.
6.3	Methods and material for containment and cleaning up
Methods for cleaning up	It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.
6.4	Reference to other sections
Personal protection	See section 8.
Removal of the waste product	See section 13.
7. Handling and storage	
7.1	Precautions for safe handling
General precautions	Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).
Technical recommendations for the prevention of fires and explosions	Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

Technical recommendations on general occupational hygiene		Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.				
Technical recommendations to prevent environmental risks		It is recommended to have absorbent material available at close proximity to the product (See section 6.3).				
7.2	Conditions for safe storage, including any incompatibilities					
Specific storage requirements		Store in a cool, dry, well-ventilated location.				
General conditions for storage		Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5.				
7.3	Specific end use(s)					
Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.						
8. Exposure controls / personal protection						
8.1	Control parameters					
Occupational exposure limits						
Substances whose occupational exposure limits have to be monitored in the workplace.						
Occupational exposure limit values (Workplace Exposure Limits)						
Cas no	Name of agent	TWA-8h (ppm)	TWA-8h (mg/m³)	TWA- 15 min (ppm)	TWA-15 min (mg/m³)	Source
	Oils		5			IOEL (Europe)
8042-47-5	White mineral oil		5		20	TRGS 900 (DE)
TWA-8h= (time-weighted average) long-term exposure limit; TWA-15 min = short-term exposure limit						
Biological limit values		No data available.				
DNELs (workers)						
Identification		Short exposure		Long exposure		
White mineral oil, <=20.5mm²/s (40°C) CAS: 8042-47-5 EC: 232-455-8	Oral	Systemic	Local	Systemic	Local	
	Dermal	Not applicable	Not applicable	217.05 mg/kg	Not applicable	
	Inhalation	Not applicable	Not applicable	164.56 mg/m³	Not applicable	
DNELs (general population)						
Identification		Short exposure		Long exposure		
White mineral oil, <=20.5mm²/s (40°C) CAS: 8042-47-5 EC: 232-455-8	Oral	Systemic	Local	Systemic	Local	
	Dermal	Not applicable	Not applicable	93.02 mg/kg	Not applicable	
	Inhalation	Not applicable	Not applicable	34.78 mg/m³	Not applicable	
PNECs		Not applicable.				
8.2	Exposure controls					
Appropriate engineering controls		No data available.				

Personal protection equipment

Individual protection measures

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding "CE marking" in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

Eye / face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing		-	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012, EN 13832-1:2007

Hand protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	Protective gloves against minor risks		-	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018

Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.



Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011 ISO 3864-4:2011

Environmental exposure controls

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Appearance	Oily.
Colour	Colourless.
Odour	Characteristic.
Odour threshold	Not applicable.
Boiling point at atmospheric pressure	290 - 500 °C.
Vapour pressure at 20 °C	1.242E-1 Pa.
Vapour pressure at 50 °C	3.84 Pa (0 kPa).
Evaporation rate at 20 °C	Not applicable.
Density at 20 °C	850 kg/m ³
Relative density 20 °C	0.85
Dynamic viscosity 20 °C	Not applicable.
Kinematic viscosity 20 °C	Not applicable.
Kinematic viscosity 40 °C	15 mm ² /s.
Concentration	Not applicable.
pH	Not applicable.
Vapour density 20 °C	Not applicable.
Partition coefficient n-octanol/water 20 °C	Not applicable.
Solubility in water 20 °C	Not applicable.
Solubility properties	Not applicable.
Decomposition temperature	Not applicable.
Melting point/freezing point	-15 °C.
Flash point	180 °C.
Flammability	Not applicable.
Auto-ignition temperature	330 °C.
Lower flammability limit	Not applicable.
Upper flammability limit	Not applicable.
Particle characteristics	Not applicable.

9.2 Other information

Explosive properties	Not applicable.
Oxidising properties	Not applicable.
Corrosive to metals	Not applicable.
Heat of combustion	Not applicable.

Aerosols-total percentage (by mass) of flammable components		Not applicable.												
Surface tension at 20 °C		Not applicable.												
Refraction index		Not applicable.												
10. Stability and reactivity														
10.1		Reactivity												
Reactivity		No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.												
10.2		Chemical stability												
Stability		Chemically stable under the indicated conditions of storage, handling and use.												
10.3		Possibility of hazardous reactions												
Hazardous reactions		Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.												
10.4		Conditions to avoid												
Conditions to avoid Applicable for handling and storage at room temperature.														
<table><tr><td>Shock and friction</td><td>Contact with air</td><td>Increase in temperature</td><td>Sunlight</td><td>Humidity</td></tr><tr><td>Not applicable.</td><td>Not applicable.</td><td>Not applicable.</td><td>Not applicable.</td><td>Not applicable.</td></tr></table>					Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity	Not applicable.	Not applicable.	Not applicable.	Not applicable.	Not applicable.
Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity										
Not applicable.	Not applicable.	Not applicable.	Not applicable.	Not applicable.										
10.5		Incompatible materials												
Materials to avoid														
<table><tr><td>Acids</td><td>Water</td><td>Oxidising materials</td><td>Combustible materials</td><td>Others</td></tr><tr><td>Avoid strong acids</td><td>Not applicable.</td><td>Not applicable.</td><td>Not applicable.</td><td>Avoid alkalis or strong bases</td></tr></table>					Acids	Water	Oxidising materials	Combustible materials	Others	Avoid strong acids	Not applicable.	Not applicable.	Not applicable.	Avoid alkalis or strong bases
Acids	Water	Oxidising materials	Combustible materials	Others										
Avoid strong acids	Not applicable.	Not applicable.	Not applicable.	Avoid alkalis or strong bases										
10.6		Hazardous decomposition products												
Hazardous decomposition products		See section 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO ₂), carbon monoxide and other organic compounds.												
11. Toxicological information														
11.1		Information on hazard classes as defined in Regulation (EC) no. 1272/2008												
General		In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure.												
Acute toxicity: inhalation		Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3. Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.												
Acute toxicity: skin contact		Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.												

Acute toxicity: ingestion	Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3. Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.														
Skin corrosion/irritation	Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.														
Serious eye damage/irritation	Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.														
Respiratory or skin sensitisation	Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.														
Germ cell mutagenicity	Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.														
Carcinogenicity	Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: White mineral oil, <=20.5mm2/s (40°C) (3).														
Reproductive toxicity	Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.														
Specific target organ toxicity – single exposure	Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.														
Specific target organ toxicity – repeated exposure	Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.														
Aspiration hazard	May be fatal if swallowed and enters airways.														
Other information	Not applicable.														
Product-specific toxicological information	<table><tr><th colspan="2">Acute toxicity</th><th>Genus</th></tr><tr><td>LD50 Oral</td><td>>5,000 mg/kg</td><td>Rat</td></tr></table>	Acute toxicity		Genus	LD50 Oral	>5,000 mg/kg	Rat								
Acute toxicity		Genus													
LD50 Oral	>5,000 mg/kg	Rat													
Specific toxicology information on the substances	<table><tr><th>Identification</th><th colspan="2">Acute toxicity</th><th>Genus</th></tr><tr><td rowspan="3">White mineral oil, <=20.5mm²/s (40°C) CAS: 8042-47-5 EC: 232-455-8</td><td>LD50 oral</td><td>>5,000 mg/kg</td><td>Rat</td></tr><tr><td>LD50 dermal</td><td>-</td><td>-</td></tr><tr><td>LC50 inhalation</td><td>-</td><td>-</td></tr></table>	Identification	Acute toxicity		Genus	White mineral oil, <=20.5mm²/s (40°C) CAS: 8042-47-5 EC: 232-455-8	LD50 oral	>5,000 mg/kg	Rat	LD50 dermal	-	-	LC50 inhalation	-	-
Identification	Acute toxicity		Genus												
White mineral oil, <=20.5mm²/s (40°C) CAS: 8042-47-5 EC: 232-455-8	LD50 oral	>5,000 mg/kg	Rat												
	LD50 dermal	-	-												
	LC50 inhalation	-	-												

11.2	Information on other hazards	
Endocrine disrupting properties		The product does not meet the criteria for endocrine disrupting properties.
Other hazards		Not applicable.
12. Ecological information		
12.1	Toxicity	
Ecotoxicity		Not available.
12.2	Persistence and degradability	
Persistence and degradability		Not available.
12.3	Bioaccumulative potential	
Bioaccumulation		Not available.
12.4	Mobility in soil	
Mobility		Not available.
12.5	Results of PBT and vPvB assessment	
Assessment		Product does not meet PBT/vPvB criteria.
12.6	Endocrine disrupting properties	
Endocrine disrupting potential		The product does not meet the criteria for endocrine disrupting properties.
12.7	Other adverse effects	
Other adverse effects		Not described.
13. Disposal considerations		
13.1	Waste treatment methods	
Waste management		Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed into drains. See paragraph 6.2.
Type of waste		Regulation (EU) No 1357/2014: HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity.
European list of waste products		13 08 99* Wastes not otherwise specified – Hazardous
Regulations related to waste management		In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014.
14. Transport information		
Transport by road, by rail and inland waterway transport (ADR/RID/ADN)		14.1 UN-number: 14.2 UN proper shipping name: 14.3 Transport hazard class(es): 14.4 Packing group: The product is not subject to ADR/RID/ADN regulations.
Marine transport (IMDG)		14.1 UN-number: 14.2 UN proper shipping name: 14.3 Transport hazard class(es): 14.4 Packing group: The product is not subject to IMDG regulations.
Air transport (ICAO-IATA)		14.1 UN-number: 14.2 UN proper shipping name: 14.3 Transport hazard class(es): 14.4 Packing group: The product is not subject to ICAO-IATA regulations.

14.5	Environmental hazards
Environmental hazard	Not regulated.
Marine pollutant	Not regulated.
14.6	Special precautions for user
	Not regulated.
14.7	Maritime transport in bulk according to IMO instruments
	Not applicable.
15. Regulatory information	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture
Relevant EU rule(s)	Safety, health and environmental regulations/legislation specific for the substance or mixture: <i>Article 95, REGULATION (EU) No 528/2012:</i> Not relevant. <i>Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH):</i> Not relevant. <i>Regulation (EC) No 1005/2009, about substances that deplete the ozone layer:</i> Not relevant. <i>REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products:</i> Not relevant. <i>Substances included in Annex XIV of REACH ("Authorisation List") and sunset date:</i> Not relevant. Seveso III: Not relevant. Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc): Shall not be used in: —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, —tricks and jokes, —games for one or more participants, or any article intended to be used as such, even with ornamental aspects. Specific provisions in terms of protecting people or the environment: It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.
Other legislation	The product could be affected by sectorial legislation.
15.2	Chemical safety assessment
	The supplier has not carried out evaluation of chemical safety.
16. Other information	
Indication of changes (revised safety data sheet)	Alignment to regulation. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU. Restructuring and revising sections 1 to 15.
Sources of used key data	This information is based on the currently available information (Producer(s)). See also the website: https://echa.europa.eu/information-on-chemicals/registered-substances
(EU)H-statement(s)	H304 May be fatal if swallowed and enters airways.
Classification procedure	No data available.

Advice related to training	Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.
List of abbreviations and acronyms	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR/RID/ADN: Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways. Asp. Tox.: Aspiration hazard. ATE: Acute toxicity estimate. BCF: Bio-concentration factor. CAS: Chemical Abstracts Service. CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008. DGR: Dangerous Goods Regulations. DNEL: Derived No Effect Level. DMEL: Derived Minimal Effect Level. EC-No.: The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union). EINECS: European Inventory of Existing Commercial Chemical Substances. ELINCS: European List of Notified Chemical Substances. GHS: Globally Harmonized System of Classification and Labelling of Chemicals. IARC: International Agency for Research on Cancer. IATA: International Air Transport Association (provisions concerning the international carriage of dangerous goods by air). IATA/DGR: Dangerous Goods Regulations (DGR) for the air transport (IATA). ICAO: International Civil Aviation Organization. ICAO-TI: Technical instructions for the safe transport of dangerous goods by air. IMDG: International Maritime Dangerous Goods Code. LC50: Lethal Concentration to 50 % of a test population. LD50: Lethal Dose to 50% of a test population. Log POW: n-Octanol/water. M-factor: Multiplication factor. OECD: Organisation for Economic Co-operation and Development. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. SCL: Specific concentration limit. SVHC: Substances of Very High Concern. vPvB: Very Persistent and Very Bioaccumulative.

This information is to our knowledge correct and complete on the date of issue of this safety data sheet. The information only concerns the product and does not give any guarantee for the quality and the completeness of the properties of the

product, or in case of mixing or using in any other process. It remains the responsibility of the user to assure himself that the information is suitable and complete concerning the special use he makes of the product.

Hofman Pest Control denies all responsibility for loss or damage resulting from the use of these data.

End of document