

MSDS MATERIAL SAFETY DATA SHEET		0.1 Product	Maxi Collodium
		0.2 Status	Active
		0.3 Version	3
		0.4 Version date	14-03-2025
1. Identification of the substance/mixture and of the company			
1.1 Product identification			
Product name		Maxi Collodium	
Trade name		Maxi Collodium	
Product code		MAXI2100	
Chemical description		Mixture	
UFI		QX00-W08V-8002-APRF	
REACH registration number		-	
1.2 Relevant identified uses of the substance or mixture and uses advised against			
Identified use(s)		Animal care product.	
Use(s) advised against		Not identified.	
1.3 Details of the supplier of the safety data sheet			
Company identification		Name	Hofman Animal Care B.V.
Contact details		Address	De Leemkoele 2
		Zip code	7468 DM
		Town	Enter
		Country	The Netherlands
		Telephone	+31 (0)548-545277
		E-mail	info@hofmananimalcare.nl
		Website	www.hofmananimalcare.com
1.4 Emergency telephone number			
Emergency telephone number		The Netherlands: National Poisoning Information Centre – Utrecht TEL: +31 (0) 88 755 8000 Belgium: Antipoison Centre – Brussels TEL: +32 (0)70 245 245 (Only for the purpose of informing medical personnel in case of acute intoxications)	
2. Hazards identification			
2.1 Classification of the substance or mixture			
Classification according to Regulation (EC) no. 1272/2008: Flam. Liq. 1: Flammable liquid – category 1; H224 Acute Tox. 4: Acute toxicity – category 4; H302 STOT SE 3: Specific target organ toxicity (single exposure); central nervous system – category 3; H336 The full text of the (EU)H-statements can be found in section 16.			
2.2 Label elements			
Labelling according to Regulation (EC) no. 1272/2008:			
Hazardous component(s)		-	
Hazard pictogram(s)			
Signal word		Danger	

MSDS

Material Safety Data Sheet

Hazard statements	H224 Extremely flammable liquid and vapour. H302 Harmful if swallowed. H336 May cause drowsiness or dizziness.
Supplemental Hazard information	EUH019 May form explosive peroxides. EUH066 Repeated exposure may cause skin dryness or cracking.
Precautionary measures - Prevention - Response - Storage	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell P403+P233 Store in a well-ventilated place. Keep container tightly closed.
Reduced Labelling (<= 125 ml)	
Hazardous component(s)	-
Hazard pictogram(s)	
Signal word	Danger
Hazard statements	H224 Extremely flammable liquid and vapour.
Supplemental Hazard information	EUH019 May form explosive peroxides. EUH066 Repeated exposure may cause skin dryness or cracking.
Precautionary measures - Prevention - Storage	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting equipment. P403+P233 Store in a well-ventilated place. Keep container tightly closed.
2.3 Other hazards	
Results of PBT and vPvB assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

3. Composition / information on ingredients

3.1	Substances	Not applicable (mixture).				
3.2	Mixtures					
Name component(s)	Weight %	CAS no.	EINECS no.	Index no.	REACH no.	Classification
Diethyl ether; ether	>= 70 - < 90	60-29-7	200-467-2	603-022-00-4	01-2119535785-29-XXXX	Flam. Liq. 1; H224 Acute Tox. 4; H302 STOT SE 3; H336 EUH019 EUH066
Ethanol; ethyl alcohol	>= 10 - < 20	64-17-5	200-578-6	603-002-00-5	01-2119457610-43-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319

The full text of the (EU)H-statements can be found in section 16.

Specific concentration limit, multiplication factor, acute toxicity estimation

Name component(s)	CAS no.	SCL, M-factor, ATE
Diethyl ether; ether	60-29-7	C: >= 20 %: STOT SE 3, H336
Ethanol; ethyl alcohol	64-17-5	C: >= 50 %: Eye Irrit. 2A, H319

4. First aid measures

4.1	Description of first aid measures
General	Show this material safety data sheet to the doctor in attendance.
First aid measures in case of inhalation	After inhalation: fresh air. Call in physician.
First aid measures in case of skin contact	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
First aid measures in case of eye contact	After eye contact: rinse out with plenty of water. Remove contact lenses.
First aid measures in case of ingestion	After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

5. Firefighting measures

5.1	Extinguishing media
Suitable extinguishing media	Carbon dioxide (CO ₂). Dry powder. Foam.
Unsuitable extinguishing media	For this substance/mixture no limitations of extinguishing agents are given.
5.2	Special hazards arising from the substance or mixture
Special exposure hazards	Carbon oxides. Combustible. Pay attention to flashback. Vapours are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.
5.3	Advice for firefighters
Special protective equipment	In the event of fire, wear self-contained breathing apparatus.
Special procedures	No information available.
5.4	Further information
Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.	

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<i>For non-emergency personnel:</i> Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
----------------------	--

6.2 Environmental precautions

Environmental precautions	Do not let product enter drains. Risk of explosion.
---------------------------	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material. Dispose of properly. Clean up affected area.
-------------------------	--

6.4 Reference to other sections

Personal protection	See section 8.
Removal of the waste product	See section 13.

7. Handling and storage

7.1 Precautions for safe handling

Handling	Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.
Protection against fire and explosion	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Hygiene measures	Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage	Protected from light. Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Recommended storage temperature see product label.
Storage class	Storage class (TRGS 510): 3: Flammable liquids.
Suitable packaging material	No information available.
Unsuitable packaging material	No information available.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2. No other specific uses are stipulated.

8. Exposure controls / personal protection

8.1 Control parameters

Occupational exposure limits

Occupational exposure limit values						
Cas no	Name of agent	TWA-8h (ppm)	TWA-8h (mg/m ³)	TWA- 15 min (ppm)	TWA-15 min (mg/m ³)	Source
60-29-7	Diethyl ether; ether	100	308	200	616	Directive 2000/39/EC
		100	308	200	616	Working conditions – Legal limit values (NL)
			308		616	REACH
		400	1,200	400	1,200	TRGS 900 (DE)
64-17-5	Ethanol; ethyl alcohol	137	260	1,000	1,900	Working conditions – Legal limit values (NL)
			950			Reach
		200	380	800	1.520	TRGS 900 (DE)

TWA-8h= (time-weighted average) long-term exposure limit; TWA-15 min = short-term exposure limit

Biological limit values	No information available.
DNELs	No information available.
PNECs	No information available.
8.2	<u>Exposure controls</u>
Appropriate engineering controls	No information available.
Personal protection equipment	
Eye / face protection	Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses.
Skin protection	Flame retardant antistatic protective clothing.
Hand protection	This recommendation applies only to the product stated in the safety data sheet. Safety gloves. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 contact the supplier of CE-approved gloves. Splash contact Material: Viton® Minimum layer thickness: 0,70 mm Break through time: 30 min Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)
Respiratory protection	Recommended Filter type: Filter AX (EN 371) The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Required when vapours/aerosols are generated. Recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type AX. The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.
Thermal hazards	No information available.
Environmental exposure controls	Do not let product enter drains. Risk of explosion.
9. Physical and chemical properties	
9.1	<u>Information on basic physical and chemical properties</u>
Physical state	Liquid.
Colour	Colourless.
Odour	Ether-like.
Melting point/freezing point	No data available.
Boiling point/range (1013 hPa)	Ca. 34 °C at 1,013 hPa.
Flammability	No data available.
Lower and upper explosion limit	Upper explosion limit: 36 %(V). Lower explosion limit: 1.7 %(V).
Flash point	-40 °C.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
pH	Ca. 7 at 20 °C.
Kinematic viscosity	No data available.
Dynamic viscosity	No data available.
Solubility in water	At 20 °C partly soluble, (as an emulsion).
Partition coefficient n-octanol/water	No data available.
Vapour pressure	576 hPa at 20 °C.
Density	Ca. 0.76 g/cm ³ at 20 °C
Relative density	No data available.

Relative vapour density	No data available.
Particle characteristics	No data available.
9.2	<u>Other information</u>
Explosive properties	Not classified as explosive.
Oxidizing properties	None.
Other information	No data available.
10. Stability and reactivity	
10.1	<u>Reactivity</u>
Reactivity	Formation of peroxides possible. Vapours may form explosive mixture with air.
10.2	<u>Chemical stability</u>
Stability	Sensitivity to light. The product is chemically stable under standard ambient conditions (room temperature).
10.3	<u>Possibility of hazardous reactions</u>
Hazardous reactions	Risk of ignition or formation of inflammable gases or vapours with: Chromyl chloride Peroxides Risk of explosion with: Azides Halogens Halogen-halogen compounds Non-metallic oxyhalides Strong oxidizing agents Chromium(VI) oxide Halogen oxides Peroxi compounds Perchloric acid Perchlorates Nitric acid Nitrating acid Oxygen Ozone Turpentine oils and/or turpentine substitutes Nitrates Metallic chlorides Salts of oxyhalogenic acids Nitrogen oxides Non-metallic oxides Chromosulfuric acid Chlorates Hydrogen peroxide Permanganic acid Sulfuric acid with Nitric acid Sulphur Risk of explosion during distillation. Exothermic reaction with: Acid halides
10.4	<u>Conditions to avoid</u>
Conditions to avoid	Moisture. Warming.

10.5	Incompatible materials
Materials to avoid	Rubber, various plastics.
10.6	Hazardous decomposition products
Hazardous decomposition products	Peroxides.
11. Toxicological information	
11.1	Information on hazard classes as defined in Regulation (EC) no. 1272/2008
Acute toxicity: inhalation	No data available.
Acute toxicity: dermal	No data available.
Acute toxicity: oral	1,442 mg/kg (calculation method).
Skin corrosion/irritation	Remarks: Repeated exposure with the mixture may cause skin dryness or cracking.
Serious eye damage/irritation	No data available.
Respiratory or skin sensitisation	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	No data available.
Reproductive toxicity	No data available.
Specific target organ toxicity – single exposure	No data available.
Specific target organ toxicity – repeated exposure	No data available.
Aspiration hazard	No data available.
11.2	Information on other hazards
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other hazards	Other dangerous properties cannot be excluded. Handle in accordance with good hygiene and safety practice.
Components: diethyl ether; ether	Acute toxicity LD50 Oral - Rat – 1,211 mg/kg Remarks: (RTECS) Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary oedema and pneumonitis. Acute toxicity estimate Oral – 1,211 mg/kg (ATE value derived from LD50/LC50 value) LC50 Inhalation - Mouse - 4 h – 97.5 mg/l - vapor Remarks: (RTECS) Symptoms: mucosal irritations LD50 Dermal - Rabbit - male - > 20,000 mg/kg (OECD Test Guideline 402) Remarks: (ECHA) Skin corrosion/irritation Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404) Remarks: Dermatitis Serious eye damage/eye irritation Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

	Respiratory or skin sensitization Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429) Germ cell mutagenicity Test type: Micronucleus test Test system: Human lymphocytes Result: negative Test type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Result: negative Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Result: negative Method: OECD Test Guideline 474 Species: Mouse - male and female - Red blood cells (erythrocytes) Result: negative Carcinogenicity No data available Reproductive toxicity No data available Specific target organ toxicity - single exposure Oral - May cause drowsiness or dizziness. - Central nervous system Acute oral toxicity - Risk of aspiration upon vomiting., Aspiration may cause pulmonary oedema and pneumonitis. Acute inhalation toxicity - mucosal irritations Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available
Components: ethanol; ethyl alcohol	Acute toxicity LD50 Oral - Rat - male and female – 10,470 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h – 124.7 mg/l - vapor (OECD Test Guideline 403) Dermal: No data available Skin corrosion/irritation Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: Causes serious eye irritation. (OECD Test Guideline 405) Respiratory or skin sensitization Maximization Test - Guinea pig



MSDS

Material Safety Data Sheet

		Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Methanol Germ cell mutagenicity Test type: Ames test Test system: Salmonella typhimurium Result: negative Test type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Result: negative Method: OECD Test Guideline 478 Species: Mouse - male Result: Positive results were obtained in some in vivo tests. Carcinogenicity No data available Reproductive toxicity No data available Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available
12. Ecological information		
12.1	<u>Toxicity</u>	
Ecotoxicity		No data available.
12.2	<u>Persistence and degradability</u>	
Persistence and degradability		No data available.
12.3	<u>Bioaccumulative potential</u>	
Bioaccumulation		No data available.
12.4	<u>Mobility in soil</u>	
Mobility		No data available.
12.5	<u>Results of PBT and vPvB assessment</u>	
Assessment		This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
12.6	<u>Endocrine disrupting properties</u>	
Endocrine disrupting potential		The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



MSDS

Material Safety Data Sheet

12.7 Other adverse effects

Other adverse effects

Discharge into the environment must be avoided.

Cas no	Name of substance	Aquatic toxicity	Doses	h/d	Species	Remark / Source
60-29-7	Diethyl ether;	Fish	LC50 = > 10,000 mg/l	96 h	Lepomis macrochirus (Bluegill sunfish)	IUCLID
	ether	Daphnia and other aquatic invertebrates	EC50 = 1,380 mg/l	48 h	Daphnia magna (Water flea)	IUCLID
		Daphnia and other aquatic invertebrates (chronic toxicity)	Semi-static test NOEC = >100 mg/l	21 d	Daphnia magna (Water flea)	OECD Test Guideline 211
		Algae	Static test ErC50 = >100 mg/l	72 h	Desmodesmus subspicatus (green algae)	OECD Test Guideline 201
			Static Test NOEC = 100 mg/l	72 h	Desmodesmus subspicatus (green algae)	OECD Test Guideline 201
		Bacteria	Static test EC50 = 21,000 mg/l	3 h	Activated sludge	OECD Test Guideline 209
			Static test NOEC = 42 mg/l	3 h	Activated sludge	OECD Test Guideline 209
64-17-5	Ethanol; ethyl alcohol	Fish	Flow-through test LC50 = 15,300 mg/l	96 h	Pimephales promelas (fathead minnow)	US-EPA
		Toxicity to Fish (chronic toxicity)	Semi-static test NOEC = 250 mg/l	120 h	Danio rerio (zebra fish)	ECHA
		Daphnia and other aquatic invertebrates	Static test LC50 = 5,012 mg/l	48 h	Ceriodaphnia dubia (water flea)	ECHA
		Toxicity to daphnia and other aquatic invertebrates (chronic toxicity)	Semi-static test NOEC = 9.6 mg/l	9 d	Daphnia magna (Water flea)	ECHA
		Algae	Static test ErC50 = 275 mg/l	72 h	Chlorella vulgaris (Fresh water algae)	OECD Test Guideline 201
		Bacteria	Static test IC50 = > 1,000 mg/l	3 h	Activated sludge	OECD Test Guideline 209

13. Disposal considerations
13.1 Waste treatment methods

Waste from residues / unused products	Waste materials must be disposed of in accordance with relevant legislation, in their original packaging, and care must be taken to ensure that they are not mixed with other waste. Waste Directive 2008/98/EC.
European list of waste products	No data available.
Removal of contaminated packaging	Do not treat unwashed packaging in the same way as the product itself.

14. Transport information		
Transport by road, by rail and inland waterway transport (ADR/RID/ADN)	14.1 UN-number: 14.2 UN proper shipping name: 14.3 Transport hazard class(es): 14.4 Packing group:	UN 2059 NITROCELLULOSE SOLUTION, FLAMMABLE 3 I
Marine transport (IMDG)	14.1 UN-number: 14.2 UN proper shipping name: 14.3 Transport hazard class(es): 14.4 Packing group:	UN 2059 NITROCELLULOSE SOLUTION, FLAMMABLE 3 I
Air transport (ICAO-IATA)	14.1 UN-number: 14.2 UN proper shipping name: 14.3 Transport hazard class(es): 14.4 Packing group:	UN 2059 Nitrocellulose solution, flammable 3 I
14.5	Environmental hazards	
Environmental hazard	No.	
Marine pollutant	No.	
14.6	Special precautions for user	
Tunnel restriction code	B.	
Further information	No data available.	
14.7	Maritime transport in bulk according to IMO instruments	
Not applicable for product as supplied.		
15. Regulatory information		
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
Relevant EU rule(s)	This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.	
National regulations	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P5a FLAMMABLE LIQUIDS	
Other regulations	Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable. Take note of Dir 94/33/EC on the protection of young people at work.	
15.2	Chemical safety assessment	
For this product a chemical safety assessment was not carried out.		
16. Other information		
Indication of changes (revised safety data sheet)	Alignment to regulation. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU. Restructuring and revising sections 1 to 15.	
Sources of used key data	This information is based on the currently available information (Producer(s)). See also the website: https://echa.europa.eu/information-on-chemicals/registered-substances	
(EU)H-statement(s)	H224 Extremely flammable liquid and vapour. H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. EUH019 May form explosive peroxides. EUH066 Repeated exposure may cause skin dryness or cracking.	

Classification procedure	<table border="1"> <thead> <tr> <th>Classification</th><th>Classification procedure</th></tr> </thead> <tbody> <tr> <td>Flam. Liq. 1: H224</td><td>Based on product data or assessment</td></tr> <tr> <td>Acute Tox. 4: H302</td><td>Calculation method</td></tr> <tr> <td>STOT SE 3: H336</td><td>Calculation method</td></tr> </tbody> </table>	Classification	Classification procedure	Flam. Liq. 1: H224	Based on product data or assessment	Acute Tox. 4: H302	Calculation method	STOT SE 3: H336	Calculation method
Classification	Classification procedure								
Flam. Liq. 1: H224	Based on product data or assessment								
Acute Tox. 4: H302	Calculation method								
STOT SE 3: H336	Calculation method								
List of abbreviations and acronyms	Acute Tox.: Acute toxicity. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADR/RID/ADN: Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways. ATE: Acute toxicity estimate. BCF: Bio-concentration factor. CAS: Chemical Abstracts Service. CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008. DGR: Dangerous Goods Regulations. DNEL: Derived No Effect Level. DMEL: Derived Minimal Effect Level. EC50: Effective Concentration 50%. EC-No.: The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union). EINECS: European Inventory of Existing Commercial Chemical Substances. ELINCS: European List of Notified Chemical Substances. ErC50: Effective Concentration 50%, growth rate. Eye Irrit.: Serious eye irritation. Flam. Liq.: Flammable liquid. GHS: Globally Harmonized System of Classification and Labelling of Chemicals. IATA: International Air Transport Association (provisions concerning the international carriage of dangerous goods by air). IATA/DGR: Dangerous Goods Regulations (DGR) for the air transport (IATA). IC50: Half maximal inhibitory concentration. ICAO: International Civil Aviation Organization. ICAO-TI: Technical instructions for the safe transport of dangerous goods by air. IMDG: International Maritime Dangerous Goods Code. LC50: Lethal Concentration to 50 % of a test population. LD50: Lethal Dose to 50% of a test population. Log POW: n-Octanol/water. M-factor: Multiplication factor. NOEC: No Observed Effect Concentration. OECD: Organisation for Economic Co-operation and Development. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.								

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
SCL: Specific concentration limit.
STOT SE: Specific target organ toxicity —single exposure.
SVHC: Substances of Very High Concern.
vPvB: Very Persistent and Very Bioaccumulative.

This information is to our knowledge correct and complete on the date of issue of this safety data sheet. The information only concerns the product and does not give any guarantee for the quality and the completeness of the properties of the product, or in case of mixing or using in any other process. It remains the responsibility of the user to assure himself that the information is suitable and complete concerning the special use he makes of the product.
Hofman Animal Care B.V. denies all responsibility for loss or damage resulting from the use of these data.

End of document